

Mercury Electronic Industrial Co., Ltd.

Page 2 of 5

Serial No. : E190701 - 8


http://www.mercury-crystal.com

Electronical Specification

Date : 2019/7/1

							Date . 2019/7/1	
	Paramenters	0.44	Electrical Spec.				Nister-	
	Paramenters	SYM.	Min.	Typical	Max.	Unit	Notes	
1	Mercury Part No.			-			HUSG - 16.000 - 20	
2	Nominal Frequency	FL		16.000000		MHz		
3	Holder Type			-			HUS series (10.7 * 4.3 * 3.5mm)	
4	Crystal Cut			-			AT-Cut	
5	Mode of Oscillation			-			Fundamental Mode	
6	Frequency Tolerance	F_tol	-30	~	30	ppm	at 25°C ± 3°C	
7	Frequency Stability	F_tem	-30	~	30	ppm	Over Operating Temperature	
8	Spurious Attenuation	SpdB			-4	dB		
9	Equivalent Series Resistance	Rr			40	Ω		
10	Shunt Capacitance	СО			7.0	pF		
11	Load Capacitance	CL		20		pF		
12	Drive Level	DL		100	500	uW		
13	MaxR/MinR	DLD2			10	Ω	0.1 uw ~ 100 uW,5 points	
14	MaxFR-MinFR	FDLD			10	ppm	0.1 uw ~ 100 uW,5 points	
15	MaxR	RLD2			40	Ω	0.1 uw ~ 100 uW , 10 points	
16	Operating Temperature	T_use	-10	~	60	°C		
17	Storage Temperature	T_stg	-50	~	105	°C		
18	Aging	F_aging	-3		3	ppm	first year	
19	Lead Free Approved Report	SGS Taiv	van Ltd.	Report No.	: CE / 20	19 / 22245		

Package Dimension (Unit : mm)






Page 3 of 5

Mercury Electronic Industrial Co., Ltd.

http://www.mercury-crystal.com





Page 4 of 5

Mercury Electronic Industrial Co., Ltd.

http://www.mercury-crystal.com

	Test								
*Temperature C	ycling Test								
		(1)At-55	(1)At-55 °C , 30minutes		(3)At+85°C , 30minutes				
Conditions:	Steps of cycle	(2)At+2	5°C , 10~15minutes	(4)	At+25℃,10~15minutes				
	Number of	3 times							
Results:	Performance form of t	ts must remain within s	pecificatio	ons.					
*Thermal Shock	Test								
Conditioner	Temperature T(H)+12	Temperature T(H)+125°C ,T(L)-55°C			ration of cycle 3 times				
Conditions:	Exposure time at temperature extremes 5minutes								
Results:	Performance form of t	Performance form of tested products must remain within specifications.							
*Low Temperati	ure Test								
Conditions:	Exposure time at tem	perature extre	Duration of test 96hours						
Decultor	There Should be no stain on surface of products								
Results:	Frequency and wave form of tested products must remain within specifications.								
2.Aging Test									
z./ iging 100t									
Conditions.	Temperature +85°C+	.0°¢		Du	ration of test 96 hours				
Conditions: Results:	Temperature +85°C±		s than±3ppm		ration of test 96 hours				
	Temperature +85°C±		s than±3ppm		ration of test 96 hours				
	Deviation of frequency		s than±3ppm						
Results: 3.Salt Spray Te	Deviation of frequency	/ must be les	s than±3ppm	(+/-					
Results:	Deviation of frequency	/ must be les	s than±3ppm	(+/-	·0.0003%)				
Results: 3.Salt Spray Te	Deviation of frequency st Temperature 35°C±2 NaCl 5%	/ must be les	s than±3ppm	(+/-	·0.0003%)				
Results: 3.Salt Spray Te Conditions	Deviation of frequency st Temperature 35°C±2 NaCl 5%	′ must be les °C	s than±3ppm	(+/.	·0.0003%)				
Results: 3.Salt Spray Tes Conditions 4.Humidity Test Conditions:	Deviation of frequency st Temperature 35°C±2 NaCl 5% Temperature:+40°C+/	°C °C 2°C		-95%	ration of test 48 hours				
Results: 3.Salt Spray Te Conditions 4.Humidity Test	Deviation of frequency st Temperature 35°C±2 NaCl 5% Temperature:+40°C+/ Insulation resistance r	°C °C 2°C nust be 500N	Relative humidity:90	-95% c.	ration of test 48 hours				
Results: 3.Salt Spray Tes Conditions 4.Humidity Test Conditions: Results:	Deviation of frequency st Temperature 35°C±2 NaCl 5% Temperature:+40°C+/ Insulation resistance r Resistance and wave	°C °C 2°C nust be 500N	Relative humidity:90 ⁻	-95% c.	ration of test 48 hours				
Results: 3.Salt Spray Tes Conditions 4.Humidity Test Conditions:	Deviation of frequency st Temperature 35°C±2 NaCl 5% Temperature:+40°C+/ Insulation resistance r Resistance and wave	°C °C 2°C nust be 500N	Relative humidity:90 ⁻	-95% c.	ration of test 48 hours				



Page 5 of 5

Mercury Electronic Industrial Co., Ltd.

1.Lead Soldera	bility Test					
Conditions:	Dipping in solder(230 °C+/-5 °C) for 5 seconds					
Results:	More than 95% of surface being tested should be coated uniformly with solder.					
2.Vibration Test						
	Frequency	10-55 Hz				
0	Amplitude	0.762 mm				
Conditions:	Sweep	1.0 minute				
	Duration	2 hours				
Results:	Performance form of tested products must remain within specifications.					
3.Drop Test						
	Method of drop	Free drop				
	Dropping floor	Hard wood board				
Conditions:	Height	75 cm				
	Number of drops	3 times				
Results:	Frequency and wave form of tested products must remain within specifications					
1.Terminal Stre	ngth					
*lead Pulling Te	est					
	Load	907.2gram				
Conditions:	Direction	To the downward				
	Duration of	5 seconds				
Results:	There should be no distor	tion in appearance				
*Lead Bending	Test					
	Load	453.6 gram				
Conditions:	Direction	90 $^\circ \!\!\! \mathbb{C}$ to normal position				
Conditions:	Direction Duration of	90 °C to normal position3 seconds in each cycle				

Notice :

- 1 Upon approval , please return a copy of this document with your signature to Mercury .
- 2 . Any change to these specifications have to be agreed by both parties and new revision of the specification sheets will be issued .