

**Electronical Specification** 

## 瑪居禮電波工業股份有限公司

al Co., Ltd. http://www.mercury-crystal.com

Mercury Electronic Industrial Co., Ltd.


Serial No. : E190701 - 11

Page 2 of 5

Date: 2019/7/1

	Doromantana	SYM.	Electrical Spec.				N. c
	Paramenters		Min.	Typical	Max.	Unit	Notes
1	Mercury Part No.			-			HUSG - 24.000 - 20
2	Nominal Frequency	FL	24.000000		MHz		
3	Holder Type		-			HUS series ( 10.7 * 4.3 * 3.5mm )	
4	Crystal Cut		-			AT-Cut	
5	Mode of Oscillation		-			Fundamental Mode	
6	Frequency Tolerance	F_tol	-30	~	30	ppm	at 25°C ± 3°C
7	Frequency Stability	F_tem	-30	~	30	ppm	Over Operating Temperature
8	Spurious Attenuation	SpdB			-4	dB	
9	Equivalent Series Resistance	Rr			40	Ω	
10	Shunt Capacitance	СО			7.0	pF	
11	Load Capacitance	CL		20		pF	
12	Drive Level	DL		100	500	uW	
13	MaxR/MinR	DLD2			10	Ω	0.1 uw ~ 100 uW , 5 points
14	MaxFR-MinFR	FDLD			10	ppm	0.1 uw ~ 100 uW , 5 points
15	MaxR	RLD2			40	Ω	0.1 uw ~ 100 uW , 10 points
16	Operating Temperature	T_use	-10	~	60	°C	
17	Storage Temperature	T_stg	-50	~	105	°C	
18	Aging	F_aging	-3		3	ppm	first year
19	Lead Free Approved Report	SGS Taiwan Ltd. Report No. : CE / 2019 / 22245					

## Package Dimension (Unit:mm)




Code


Α

Page 3 of 5

### Mercury Electronic Industrial Co., Ltd.

http://www.mercury-crystal.com





F

G


Н

J

K

L

Ε



XL CL = -Xc

The condition of starting oscillate:

 $RL \le |-R| Mosc=|-R| / R \ge 5$ 

The balance condition after oscillation:

С

В

 $RL \leq |-R|$ 

The balance condition of exact frequency:

XL = Xc; XL - Xc = 0

CL : Load capacitance-R : Negative resistance

XL: Reactance of a quartz crystal unit -Xc: Reactance of an oscillator unit

XL: Load resonance resistance



# 瑪居禮電波工業股份有限公司

Page 4 of 5

Mercury Electronic Industrial Co., Ltd.

http://www.mercury-crystal.com

## **Environmental Specification**

1.Temperature	Test							
*Temperature C	ycling Test							
	0, 6, 1	(1)At-55°	C , 30minutes	(3)A	(3)At+85°C , 30minutes			
Conditions:	Steps of cycle	(2)At+25°	°C , 10~15minutes	(4)A	(4)At+25°C,10~15minutes			
	Number of	3 times			,			
Results:	esults: Performance form of tested products must remain within specifications.							
*Thermal Shock	Test							
Canditiona	Temperature T(H)+12	5°C ,T(L)-55°	Dura	ation of cycle 3 times				
Conditions:	Exposure time at temp	erature extrer	<u>'</u>					
Results:	Results: Performance form of tested products must remain within specifications.							
*Low Temperatu	ire Test							
Conditions:	Exposure time at temp	erature extrer	Dura	Duration of test 96hours				
Results:	There Should be no stain on surface of products							
Results.	Frequency and wave form of tested products must remain within specifications.							
2.Aging Test								
Conditions:	Temperature +85°C±2	Temperature +85°C±2°C Duration of test 96						
Results:	Deviation of frequency must be less than±3ppm (+/-0.0003%)							
3.Salt Spray Tes	st							
0 1:::	Temperature 35°C±2	°C	Duration of test 48 hours					
Conditions	NaCl 5%		"					
4.Humidity Test								
Conditions:	Temperature:+40°C+/-	2°C	Relative humidity:90-	-95%	Duration of test:96 hours			
Dooulto	Insulation resistance must be 500Mohm/100 minimum Vdc.							
Results:	Resistance and wave form must remain within specification							
5.Fine Leak Tes	t							
Conditions:	nditions: Helium							
Results:	Results: Less than 2×10-8 Atm cc/sec							



## 瑪居禮電波工業股份有限公司

Page 5 of 5

Mercury Electronic Industrial Co., Ltd.

http://www.mercury-crystal.com

### Mechanical Specification Sheet

1.Lead Solderak	pility Test						
Conditions:	Dipping in solder(230°C+/-5°C) for 5 seconds						
Results:	More than 95% of surface being tested should be coated uniformly with solder.						
2.Vibration Test							
	Frequency	10-55 Hz					
O 1141	Amplitude	0.762 mm					
Conditions:	Sweep	1.0 minute					
	Duration	2 hours					
Results:	d products must remain within specifications.						
3.Drop Test							
	Method of drop	Free drop					
0 171	Dropping floor	Hard wood board					
Conditions:	Height	75 cm					
	Number of drops	3 times					
Results:	Frequency and wave form of tested products must remain within specifications.						
4.Terminal Strer	ngth						
*lead Pulling Te	est						
	Load	907.2gram					
Conditions:	Direction	To the downward					
	Duration of	5 seconds					
Results:	esults: There should be no distortion in appearance						
*Lead Bending	Test						
	Load	453.6 gram					
Conditions:	Direction	90 °C to normal position					
	Duration of	3 seconds in each cycle					
Results:	There should be no distort	There should be no distortion in appearance					

#### Notice:

- 1 Upon approval, please return a copy of this document with your signature to Mercury.
- 2 . Any change to these specifications have to be agreed by both parties and new revision of the specification sheets will be issued .