

Electronical Specification

Shunt Capacitance

Load Capacitance

11

17

18

瑪居禮電波工業股份有限公司

Mercury Electronic Industrial Co., Ltd.

Electrical Spec.

http://www.mercury-crystal.com

Page 2 of 5

Serial No.: E190701 - 15

Date: 2019/7/1

	Paramenters	SYM.					Notes
	1 diamenters	OTW.	Min.	Typical	Max.	Unit	Notes
1	Mercury Part No.		-				HUSG - 32.000 - 20
2	Nominal Frequency	FL	32.000000		MHz		
3	Holder Type		-			HUS series (10.7 * 4.3 * 3.5mm)	
4	Crystal Cut		-			AT-Cut	
5	Mode of Oscillation		-			Fundamental Mode	
6	Frequency Tolerance	F_tol	-30	~	30	ppm	at 25°C ± 3°C
7	Frequency Stability	F_tem	-30	~	30	ppm	Over Operating Temperature
8	Spurious Attenuation	SpdB			-4	dB	
9	Equivalent Series Resistance	Rr			40	Ω	

7.0

105

рF

рF

°C

Drive Level 12 DL 100 500 uW MaxR/MinR 13 DLD2 10 Ω $0.1 \text{ uw} \sim 100 \text{ uW}$, 5 points MaxFR-MinFR FDLD 10 0.1 uw ~ 100 uW, 5 points ppm

20

15 MaxR RLD2 40 Ω $0.1 \text{ uw} \sim 100 \text{ uW}$, 10 pointsOperating Temperature °C T_use -10 60 16

Storage Temperature T_stg -3 3 Aging F_aging ppm first year


Lead Free Approved Report SGS Taiwan Ltd. Report No.: CE / 2019 / 22245

-50


CO

CL

Package Dimension (Unit:mm)








Code


Α

Page 3 of 5

Mercury Electronic Industrial Co., Ltd.

http://www.mercury-crystal.com





F

G


Н

J

K

L

Ε



XL CL = -Xc

The condition of starting oscillate:

 $RL \le |-R| Mosc=|-R| / R \ge 5$

The balance condition after oscillation:

С

В

 $RL \leq |-R|$

The balance condition of exact frequency:

XL = Xc; XL - Xc = 0

CL : Load capacitance-R : Negative resistance

XL: Reactance of a quartz crystal unit -Xc: Reactance of an oscillator unit

XL: Load resonance resistance



瑪居禮電波工業股份有限公司

Page 4 of 5

Mercury Electronic Industrial Co., Ltd.

http://www.mercury-crystal.com

Environmental Specification

1.Temperature	Test							
*Temperature C	ycling Test							
	0, 6, 1	(1)At-55°	C , 30minutes	(3)A	(3)At+85°C , 30minutes			
Conditions:	Steps of cycle	(2)At+25°	2)At+25°C , 10~15minutes		(4)At+25°C,10~15minutes			
	Number of	3 times			,			
Results:	Performance form of tested products must remain within specifications.							
*Thermal Shock	Test							
Canditiona	Temperature T(H)+12	5°C ,T(L)-55°	Dura	ation of cycle 3 times				
Conditions:	Exposure time at temp	Exposure time at temperature extremes 5minutes						
Results:	Performance form of tested products must remain within specifications.							
*Low Temperatu	ire Test							
Conditions:	Exposure time at temp	erature extrer	Dura	Duration of test 96hours				
Results:	There Should be no stain on surface of products							
Results.	Frequency and wave form of tested products must remain within specifications.							
2.Aging Test								
Conditions:	Temperature +85°C±2°C Duration of test 96 h				ation of test 96 hours			
Results:	ts: Deviation of frequency must be less than±3ppm (+/-0.0003%)							
3.Salt Spray Tes	st							
0 1:::	Temperature 35°C±2	°C	Duration of test 48 hours					
Conditions	NaCl 5%	"						
4.Humidity Test								
Conditions:	Temperature:+40°C+/-	2°C	Relative humidity:90-	-95%	Duration of test:96 hours			
Dooulto	Insulation resistance must be 500Mohm/100 minimum Vdc.							
Results:	Resistance and wave form must remain within specification							
5.Fine Leak Tes	t							
Conditions:	nditions: Helium							
Results: Less than 2×10-8 Atm cc/sec								



瑪居禮電波工業股份有限公司

Page 5 of 5

Mercury Electronic Industrial Co., Ltd.

http://www.mercury-crystal.com

Mechanical Specification Sheet

1.Lead Solderak	pility Test							
Conditions:	Dipping in solder(230 °C+/-5 °C) for 5 seconds							
Results:	More than 95% of surface being tested should be coated uniformly with solder.							
2.Vibration Test								
	Frequency	10-55 Hz						
O 1141	Amplitude	0.762 mm						
Conditions:	Sweep	1.0 minute						
	Duration	2 hours						
Results:	d products must remain within specifications.							
3.Drop Test								
	Method of drop	Free drop						
0 171	Dropping floor	Hard wood board						
Conditions:	Height	75 cm						
	Number of drops	3 times						
Results:	esults: Frequency and wave form of tested products must remain within specifications.							
4.Terminal Strer	ngth							
*lead Pulling Te	est							
	Load	907.2gram						
Conditions:	Direction	To the downward						
	Duration of	5 seconds						
Results:	ults: There should be no distortion in appearance							
*Lead Bending	Test							
	Load	453.6 gram						
Conditions:	Direction	90 °C to normal position						
	Duration of	3 seconds in each cycle						
Results:	There should be no distort	There should be no distortion in appearance						

Notice:

- 1 Upon approval, please return a copy of this document with your signature to Mercury.
- 2 . Any change to these specifications have to be agreed by both parties and new revision of the specification sheets will be issued .