


tolerance \pmu0.20 \pmu0.30 \pmu0.50 \pmu0.70 \pmu1.00 \pmu1.30 \pmu1.60


## 慈溪市万捷电子有限公司 CIXI WANJIE ELECTRONIC CO., LTD

REVISION RECORD				
REV.	DESCRIPTION	ECN No.	APPROVED	DATE



0.10

0.30



尺寸/Dimensions:110.5x165.3x8.3mm 点数/2 Terminal Strips:1260 Tie-point 4 Distribution Strips:400 Tie-point 3个接线柱/3 Binding posts 间距/Pitch: 2.54mm 材料/Material

塑件 /Housing : ABS plastic 夹子 /Spring Clips : Copper, Ni plated

铁板尺寸 Black Metal Plate: 215x130x1.0mm 使用线径 /Wire range: Sol 20~29AWG

额定电压/ Rated voltage: 300V 额定电流/ Rated current: 3~5A


印字/Printing: A,B,C......J 1,5,10,......60

颜色/Color: 黑色/Black ,字体/Fonts: 方正黑体 ,1~60高度/Height: **1.4mm**,

字宽系数/Width: 0.8,A~J高度/Height:

1.5mm,字宽系数/Width: 1.0 铁板印字/Iron plate printing:

颜色/Color:橙色/Orange



单位/UNITS mm 尺寸/SIZE A4 比例/SCALE 第三视角/THIRD ANGLE PROJECTION 版本/REV V0 名称/TITLE BB-2T4D-02PN